

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/658,932	09/09/2003	David N. Ku	8537-3	3113	
20792 75	590 04/19/2006		EXAMINER		
MYERS BIGEL SIBLEY & SAJOVEC PO BOX 37428			WILLSE, DAVID H		
RALEIGH, NC 27627			ART UNIT	PAPER NUMBER	
			3738		
				DATE MAILED, 04/10/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

Paper No(s)/Mail Date 4 pages.

3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)

Notice of Informal Patent Application (PTO-152)

6) Other:

Claims 8, 10-12, 27, 53-55, and 70 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on February 9, 2006.

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-7, 9, 13-26, 28, 29, 34-52, 56-69, and 71-73 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor, at the time the application was filed, had possession of the claimed invention. The particular range associated with "a compressive modulus of elasticity less than about 100 megaPascals" (e.g., claim 1, lines 2-3) is not found in the original disclosure, nor is such a range suggested by any disclosed example having a compressive modulus of elasticity of about 100 megaPascals (MPEP § 2163.05).

Likewise, the limitation "compressive modulus of elasticity that is between about 1 MegaPascal to about 20 MegaPascals" (e.g., claim 48, lines 4-5) is not supported by the original disclosure, especially for the crystalline PVA hydrogel as claimed. In claim 3, line 2, the upper limit neighborhood of "about 5 MPa" (emphasis added) is not believed to have support. In claim 8, line 2, "a compressive modulus of elasticity that is not constant" is not mentioned in the original disclosure. Regarding claim 11, the lower limit neighborhood of "about 1 Newton" (emphasis

Art Unit: 3738

added) is lacking in the original disclosure. In claim 40, line 3, the negative limitation "plateless" is absent in the original disclosure. *Similar problems exist in other claims*.

The Applicant has not *specifically* pointed out the support for *every* added claim limitation (MPEP § 714.02). Prior art may be applicable once the above problems have been corrected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse whose telephone number is 571-272-4762. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Dave Willse

Primary Examiner

Art Unit 3738